



# Premier

™

## Security Ballistic & Blast Ltd

Simulated impact  
at 48 km/hr

Simulated impact  
at 64 km/hr



### HVM crash-resistant curtain walling system

2.5 tonne vehicle travelling up to 64 km/hr

# HOSTILE VEHICLE MITIGATION



Product Catalogue

+44 (0) 208 559 8295 sales@premier-ssl.com www.premier-ssl.com

# HVM Anti-terrorism and High Security bollards

Anti-terrorism bollard tested and certified (crash-rated) as a single bollard by an independent company according to standards **IWA14-1:2013 Bollard V/7200 [N3C]/80/90:4.6**. Each bollard has an independent pump so that in the event of a control unit failure, the other bollards in the environment remain functional.

**Premier's range of HVM solutions includes anti-terrorism bollards designed and tested to withstand impact from vehicles travelling at up to 50mph.**

## **SOLUTIONS FOR AVERSE HVM RESTRICTIONS**

Some high-risk areas are precluded from using HVM barriers and bollards because of space restrictions. Premier's HVM-tested curtain-walling system is a solution many security-conscious clients are electing to use.



## **TARGETING CARBON NEUTRALITY**

Premier Security Ballistic & Blast Ltd is dedicated to a positive legacy through sustainable security product fabrication and maintenance.

We aim to reduce resource consumption, enhance community well-being for a healthier environment and achieve our carbon neutral targets by implementing energy-efficient practices and investing in renewable resources.



## HVM CURTAIN-WALLING



# HVM Anti-terrorism Curtain-Walling Security system

Premier Security Ballistic & Blast Ltd's HVM Ultimate High-Security curtain-walling system is tested to LPS1175 E10 (SR5); D10 (SR4); C5 (SR3) and B3 (SR2) security and certified to 6 metres high with unlimited screen width.

Premier's glazed curtain-wall system now achieves ballistic FB7 standard and was recently successfully tested to resist 14.5mm AP (Armoured Piercing) penetration. It has a U-Value of 0.5. and also achieves a blast-resistance EXV 10 (Louvres); EXV 15 (Screens) and EXV 25 (Fully Glazed Doors).



Approved to ISO 9001  
LPCB Ref no 1887

# Premier

™

## Security Ballistic & Blast Ltd



**Premier Security Ballistic & Blast Ltd**  
**20-21 Roebuck Road, Essex**  
**England IG6 3TU**



Product Catalogue

+44 (0) 208 559 8295   sales@premier-ssl.com   www.premier-ssl.com